

SketchNanoGard Themat: HC

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 1 of 12

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: SketchNanoGard Themat: HC

Product Code(s) : Not available.

Recommended use of the chemical and restrictions on use

: Thermal insulation coating
Restriction on use: None known

Chemical family : Mixture

Name, address, and telephone number
of the supplier:

Sketch Nanotechnologies Inc.

2359 Rue Guenette
Saint-Laurent, QC, Canada
H4R 2E9

Supplier's Telephone # : 514-333-3311(Monday - Friday, 9:00 am - 5:00 pm, Eastern Standard Time)

24 Hr. Emergency Tel # : Canutec: 613-966-6666

Name, address, and telephone number of
the manufacturer:

Refer to supplier

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Dark blue liquid. Strong Odor

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification:

Flammable Liquids - Category 3

Serious eye damage/eye irritation - Category 2A

Skin sensitization - Category 1A

Specific Target Organ Toxicity, Single Exposure - Category 3 narcotic effects

Specific target organ toxicity, single exposure - Category 3 respiratory tract irritation

Label elements

Hazard pictogram(s)



Signal Word

Warning!

Hazard statement(s)

Flammable liquid and vapour.
Causes serious eye irritation.
May cause an allergic skin reaction.
May cause drowsiness or dizziness.
May cause respiratory irritation.

SketchNanoGard Themat: HC

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 2 of 12

SAFETY DATA SHEET

Precautionary statement(s)

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Keep only in original container.
Use only non-sparking tools.
Ground and bond container and receiving equipment.
Take precautionary measures against static discharge.
Use explosion-proof electrical and ventilating equipment.
Avoid breathing mist or vapours.
Wash thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.
Use only outdoors or in a well-ventilated area.
Wear protective gloves and eye/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If skin irritation or rash occurs: Get medical advice/attention.
Wash contaminated clothing before re-use.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
If eye irritation persists: get medical advice/attention.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER or doctor/physician if you feel unwell.
In case of fire: Use water fog, dry chemical, CO₂ or 'alcohol' foam to extinguish.

Store in a well-ventilated place. Keep cool.
Keep container tightly closed.
Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 23-35%

Other hazards

Other hazards which do not result in classification:

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
n-Butyl-acetate	1-Acetoxybutane Butyl ethanoate	123-86-4	10.0 - 30.0
Ethyl alcohol	Ethyl alcohol Ethyl hydrate	64-17-5	10.0 - 30.0
Ethylene glycol monobutyl ether acetate	2-Butoxyethyl acetate Butyl glycol acetate Glycol Ether EB Acetate Ethylene glycol butyl ether acetate EGBEA	112-07-2	10.0 - 30.0
Phenol, 2-(2H-benzotriazol-2-yl)-4-methyl-	2-(2H-benzotriazol-2-yl)-4-methylphenol 2-(2'-Hydroxy-5'-methylphenyl)benzotriazole	2440-22-4	5.0 - 10.0

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

SketchNanoGard Themat: HC

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 3 of 12

SAFETY DATA SHEET

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

- Ingestion* : Call a physician or poison control centre immediately. Do not induce vomiting. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. Never give anything by mouth to an unconscious person.
- Inhalation* : If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. Get medical attention if symptoms persist.
- Skin contact* : Wash off with soap and plenty of water. If irritation or symptoms develop, seek medical attention. Wash contaminated clothing before re-use.
- Eye contact* : Immediately flush eyes with running water for at least 15 minutes. Obtain medical attention if irritation persists.

Most important symptoms and effects, both acute and delayed

- : Causes serious eye irritation. Symptoms may include severe pain, tearing, redness, swelling and blurred vision. Direct skin contact may cause slight or mild, transient irritation. May cause an allergic skin reaction (e.g. swelling, rash and eczema). May cause central nervous system effects. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. May cause respiratory irritation. Symptoms may include sore throat, running nose and shortness of breath. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically. This product is a CNS depressant.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

- Suitable extinguishing media* : Use water fog or fine spray, foams, carbon dioxide or dry chemical. Do not use a solid water stream as it may scatter and spread fire.
- Unsuitable extinguishing media* : Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

- : Flammable liquid and vapour. Vapors may travel considerable distance to a source of ignition and flash back. Vapors are heavier than air and may spread along floors. Static discharge, impact, friction, and heat may ignite exposed chemical material.

Flammability classification (OSHA 29 CFR 1910.106)

- : Flammable Liquids - Category 3

Hazardous combustion products

- : Carbon monoxide, carbon dioxide, toxic vapours, gases or particulates.

Special protective equipment and precautions for firefighters

- Protective equipment for fire-fighters* : Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Special fire-fighting procedures

- : Fight fires from a safe distance. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

SketchNanoGard Themat: HC

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 4 of 12

SAFETY DATA SHEET

- : Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. Individuals involved in the clean-up must wear appropriate personal protective equipment. For personal protection see section 8.
- Environmental precautions** : Do not allow material to contaminate ground water system. For large spills, dike the area to prevent spreading.
- Methods and material for containment and cleaning up**
 - : Ventilate area of release. Stop spill or leak at source if safely possible. Dike for water control. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with inert, non-combustible absorbent material (e.g. sand, vermiculite), then place material into open, unsealed containers. For waste disposal, see Section 13 of the SDS.
- Special spill response procedures**
 - : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).
US CERCLA Reportable quantity (RQ): None.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

- : Use only in well-ventilated areas. Wear suitable protective equipment during handling. Do not ingest or swallow. Avoid breathing vapours. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Keep away from heat, sparks and open flames. Use only non-sparking tools with this material. Avoid contact with incompatible materials. Keep containers tightly closed when not in use. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not use pressure to empty drums. Do not cut, weld, drill or grind on or near this container. Follow labeled warnings even after container is emptied. Persons with recurrent skin eczema or sensitization problems should be excluded from working with this product. Once a person is sensitized, no further exposure to the material that caused the sensitization should be permitted.
- Conditions for safe storage** : Store in a cool, dry, well-ventilated area. Store away from incompatible materials. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.
- Incompatible materials** : Strong oxidizing agents; Strong acids.; Alkali metals; Aluminium. .

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Exposure Limits:</u>				
<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
n-Butyl-acetate	50 ppm	150 ppm	150 ppm (710 mg/m ³)	N/Av
Ethyl alcohol	N/Av	1000 ppm	1000 ppm (1900 mg/m ³)	N/Av
Ethylene glycol monobutyl ether acetate	20 ppm	N/Av	N/Av	N/Av
Phenol, 2-(2H-benzotriazol-2-yl)-4-methyl-	N/Av	N/Av	N/Av	N/Av

Exposure controls

SketchNanoGard Themat: HC

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 5 of 12

SAFETY DATA SHEET

Ventilation and engineering measures

: Ensure adequate ventilation, especially in confined areas. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

Respiratory protection

: Respiratory protection is required if the concentrations exceed the TLV. NIOSH-approved respirators are recommended. Advice should be sought from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.

Skin protection

: Wear protective gloves. Advice should be sought from glove suppliers.

Eye / face protection

: Wear eye/face protection. Chemical splash goggles are recommended. A full face shield may also be necessary.

Other protective equipment

: An eyewash station and safety shower should be made available in the immediate working area. Depending on conditions of use, an impervious apron should be worn. Other equipment may be required depending on workplace standards.

General hygiene considerations

: Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Do not ingest. Do not eat, drink or smoke when using this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Dark blue liquid.
Odour	: Strong Odor
Odour threshold	: Not available.
pH	: N/Av
Melting/Freezing point	: Not available.
Initial boiling point and boiling range	: 158°C
Flash point	: 54°C
Flashpoint (Method)	: closed cup
Evaporation rate (BuAe = 1)	: Not available.
Flammability (solid, gas)	: Not applicable.
Lower flammable limit (% by vol.)	: (Ethanol) 2.5%
Upper flammable limit (% by vol.)	: (Ethanol) 12%
Oxidizing properties	: None.
Explosive properties	: Not explosive
Vapour pressure	: 0.277 kPa @ 20°C
Vapour density	: Not available.
Relative density / Specific gravity	: 1.10 ± 0.05
Solubility in water	: Complete
Other solubility(ies)	: Not available.
Partition coefficient: n-octanol/water or Coefficient of water/oil distribution	: Not available.
Auto-ignition temperature	: (Ethanol) 399°C (750.2°F)
Decomposition temperature	: Not applicable.
Viscosity	: Not available.
Volatiles (% by weight)	: Not available.
Volatile organic Compounds (VOC's)	: N/Av

SketchNanoGard Themat: HC

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 6 of 12

SAFETY DATA SHEET

Absolute pressure of container

: N/Ap

Flame projection length

: N/Ap

Other physical/chemical comments

: None known or reported by the manufacturer.

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Not normally reactive.

Chemical stability

: Stable under the recommended storage and handling conditions prescribed.

Possibility of hazardous reactions

: Hazardous polymerization will not occur.

Conditions to avoid

: Keep away from excessive heat, open flames, sparks and other possible sources of ignition. Avoid contact with incompatible materials. Do not use in areas without adequate ventilation. Avoid heat, open flames, sparks, static electricity and electrical equipment.

Incompatible materials

: Incompatible materials (see Section 7).

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation

: YES

Routes of entry skin & eye

: YES

Routes of entry Ingestion

: YES

Routes of exposure skin absorption

: NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

: Inhalation of fumes or mists may cause irritation to the nose, throat and upper respiratory tract.

Sign and symptoms ingestion

: May cause irritation of mouth, throat, and stomach.

Sign and symptoms skin

: May cause mild skin irritation.

Sign and symptoms eyes

: Causes serious eye irritation. Symptoms may include severe pain, tearing, redness, swelling and blurred vision.

Potential Chronic Health Effects

: Prolonged or repeated skin contact may cause drying and irritation. Prolonged overexposure may cause liver and kidney effects.

Mutagenicity

: Not expected to be mutagenic in humans.

Carcinogenicity

: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: Not expected to have other reproductive effects.

Sensitization to material

: Not expected to be a skin or respiratory sensitizer.

SketchNanoGard Themat: HC

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 7 of 12

SAFETY DATA SHEET

Specific target organ effects : Eyes, skin, respiratory system, digestive system, central nervous system. Liver

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification:
Specific Target Organ Toxicity, Single Exposure - Category 3 narcotic effects
Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory)

May cause drowsiness or dizziness. May cause respiratory irritation.

Not classified as specific target organ toxicity-repeated exposure.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

Synergistic materials

: None known or reported by the manufacturer.

Toxicological data

: There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data. The calculated ATE values for this mixture are:
ATE oral = 4160 mg/kg
ATE dermal = 2767.14 mg/kg
23-35% of the mixture consists of ingredient(s) of unknown toxicity.

<u>Chemical name</u>	<u>LC₅₀(4hr)</u> <u>inh, rat</u>	<u>LD₅₀</u>	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
n-Butyl-acetate	> 6867 ppm (32.6 mg/L) (vapour) (No mortality) 1.802 mg/L (aerosol)	10 700 mg/kg	> 5000 mg/kg
Ethyl alcohol	> 32 380 ppm (61 mg/L) (vapour)	7060 mg/kg	> 15 800 mg/kg
Ethylene glycol monobutyl ether acetate	> 400 mg/L (vapour)	1600 mg/kg	1490 mg/kg
Phenol, 2-(2H-benzotriazol-2-yl)-4-methyl-	> 1.42 mg/L (dust) (No mortality)	> 10 000 mg/kg	> 2000 mg/kg (No mortality)

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity : Contains material that may be harmful in the environment. Avoid release to the environment. See the following tables for individual ingredient ecotoxicity data.

Ecotoxicity data:

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Fish</u>		
		<u>LC50 / 96h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
n-Butyl-acetate	123-86-4	18 mg/L (Fathead minnow)	N/Av	None.
Ethyl alcohol	64-17-5	> 100 mg/L (Fathead minnow)	N/Av	None.
Ethylene glycol monobutyl ether acetate	112-07-2	20 - 40 mg/L (Rainbow trout)	N/Av	None.
Phenol, 2-(2H-benzotriazol-2-yl)-4-methyl-	2440-22-4	> 100 mg/L (Zebra fish)	N/Av	None.

SketchNanoGard Themat: HC

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 8 of 12

SAFETY DATA SHEET

<u>Ingredients</u>	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
n-Butyl-acetate	123-86-4	44 mg/L (Daphnia magna)	23 mg/L (Read-across)	None.
Ethyl alcohol	64-17-5	5012 mg/L (Daphnia magna)	N/Av	None.
Ethylene glycol monobutyl ether acetate	112-07-2	37 mg/L (Daphnia magna)	N/Av	None.
Phenol, 2-(2H-benzotriazol-2-yl)-4-methyl-	2440-22-4	> 1000 mg/L/24hr (Daphnia magna)	0.013 mg/L	1

<u>Ingredients</u>	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
n-Butyl-acetate	123-86-4	675 mg/L/72hr (Green algae)	200 mg/L/72hr	None.
Ethyl alcohol	64-17-5	1000 mg/L/96hr (Green algae)	N/Av	None.
Ethylene glycol monobutyl ether acetate	112-07-2	1570 mg/L/72hr (Green algae)	300 mg/L/72hr	None.
Phenol, 2-(2H-benzotriazol-2-yl)-4-methyl-	2440-22-4	> 100 mg/L/72hr (Green algae) (Read-across)	33 mg/L/72hr (Read-across)	None.

Persistence and degradability

: No data is available on the product itself.

Bioaccumulation potential

: Not expected to bioaccumulate.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
n-Butyl-acetate (CAS 123-86-4)	2.3	15.3 (estimated)
Ethyl alcohol (CAS 64-17-5)	-0.31	N/Av
Ethylene glycol monobutyl ether acetate (CAS 112-07-2)	1.51	0.463 (calculated)
Phenol, 2-(2H-benzotriazol-2-yl)-4-methyl- (CAS 2440-22-4)	4.2	N/Av

Mobility in soil

: No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: See Section 7 (Handling and Storage) for further details. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not cut, weld, drill or grind on or near this container.

Methods of Disposal

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method.





SketchNanoGard Themat: HC

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 9 of 12

SAFETY DATA SHEET

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	UN1263	PAINT RELATED MATERIAL	3	III	
TDG Additional information	May be shipped as a Limited Quantity when transported in containers no larger than 5 L (1.3 gallons); in packages not exceeding 30 kg (66 pounds) gross mass.				
49CFR/DOT	UN1263	Paint related material	3	III	
49CFR/DOT Additional information	May be shipped as a Limited Quantity when transported in containers no larger than 5 L (1.3 gallons); in packages not exceeding 30 kg (66 pounds) gross mass.				
ICAO/IATA	UN1263	Paint related material	3	III	
ICAO/IATA Additional information	Refer to ICAO/IATA Packing Instruction				
IMDG	UN1263	PAINT RELATED MATERIAL	3	III	
IMDG Additional information	May be shipped as Limited Quantity when transported in containers no larger than 5.0 Litres; in packages not exceeding 30 kg gross mass. EmS: F-E, S-E.				

Special precautions for user : Keep away from heat, sparks and open flame. - No smoking.

Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
n-Butyl-acetate	123-86-4	Yes	5000 lb/ 2270 kg	None.	No	N/Ap
Ethyl alcohol	64-17-5	Yes	None.	None.	No	N/Ap
Ethylene glycol monobutyl ether acetate	112-07-2	Yes	None.	None.	No	N/Ap
Phenol, 2-(2H-benzotriazol-2-yl)-4-methyl-	2440-22-4	Yes	None.	None.	No	N/Ap

SketchNanoGard Themat: HC

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 10 of 12

SAFETY DATA SHEET

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Physical hazards: Flammable. Health hazards: Eye irritation, Specific target organ toxicity, single exposure. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
n-Butyl-acetate	123-86-4	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
Ethyl alcohol	64-17-5	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
Ethylene glycol monobutyl ether acetate	112-07-2	No	N/Ap	No	No	No	Yes	No	No
Phenol, 2-(2H-benzotriazol-2-yl)-4-methyl-	2440-22-4	No	N/Ap	No	No	No	No	No	No

Canadian Information:

WHMIS Classification: Refer to Section 2 for a WHMIS Classification for this product.
All ingredients are present on the DSL.

International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	New Zealand IOC
n-Butyl-acetate	123-86-4	204-658-1	Present	Present	(2)-735; (2)-731	KE-04179	Present	HSR001091
Ethyl alcohol	64-17-5	200-578-6	Present	Present	(2)-202	KE-13217	Present	HSR001144
Ethylene glycol monobutyl ether acetate	112-07-2	203-933-3	Present	Present	(2)-740	KE-04135	Present	HSR001155
Phenol, 2-(2H-benzotriazol-2-yl)-4-methyl-	2440-22-4	219-470-5	Present	Present	(5)-544	KE-02741	Present	HSR003665

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists
CA: California
CAS: Chemical Abstract Services
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
CFR: Code of Federal Regulations
CNS: Central Nervous System
CSA: Canadian Standards Association
DOT: Department of Transportation
EPA: Environmental Protection Agency
HMIS: Hazardous Materials Identification System
HSDB: Hazardous Substances Data Bank

SketchNanoGard Themat: HC

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 11 of 12

SAFETY DATA SHEET

IARC: International Agency for Research on Cancer
 Inh: Inhalation
 IUCLID: International Uniform Chemical Information Database
 LC: Lethal Concentration
 LD: Lethal Dose
 MA: Massachusetts
 MN: Minnesota
 N/Av: Not Applicable
 N/Av: Not Available
 NFPA: National Fire Protection Association
 NIOSH: National Institute of Occupational Safety and Health
 NJ: New Jersey
 NTP: National Toxicology Program
 OSHA: Occupational Safety and Health Administration
 PA: Pennsylvania
 PEL: Permissible exposure limit
 RCRA: Resource Conservation and Recovery Act
 RI: Rhode Island
 RTECS: Registry of Toxic Effects of Chemical Substances
 SARA: Superfund Amendments and Reauthorization Act
 STEL: Short Term Exposure Limit
 TDG: Canadian Transportation of Dangerous Goods Act & Regulations
 TLV: Threshold Limit Values
 TWA: Time Weighted Average
 WHMIS: Workplace Hazardous Materials Identification System

- References** :
1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2016
 2. International Agency for Research on Cancer Monographs, searched 2017
 3. Canadian Centre for Occupational Health and Safety, CCHInfoWeb databases, 2017(Chempendium, HSDB and RTECs).
 4. Material Safety Data Sheets from manufacturer.
 5. US EPA Title III List of Lists - 2017 version.
 6. California Proposition 65 List - 2017 version.
 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal,2017.

Preparation Date (mm/dd/yyyy) : 05/01/2018

Other special considerations for handling : Provide adequate information, instruction and training for operators.

<p><u>Prepared for:</u> Sketch Nanotechnologies Inc. 2359 Rue Guenette Saint-Laurent, QC H4R 2E9 Telephone: 514-333-3311</p>	
<p><u>Prepared by:</u> ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada) http://www.thecompliancecenter.com</p>	

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from

SketchNanoGard Themat: HC

SDS Preparation Date (mm/dd/yyyy): 05/01/2018

Page 12 of 12

SAFETY DATA SHEET

Sketch Nanotechnologies Inc. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and ketch Nanotechnologies Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and Sketch Nanotechnologies Inc

END OF DOCUMENT